

BIRite #964808

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory-Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List)
Solid Green #14 All-Purpose

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available the space must be marked to indicate that.

Section I NA = Not Applicable NIA = No Information Available

Manufacturer's Name Sunburst Chemicals, Inc.	Emergency Telephone Number 1-866-303-6943 (7 days/24 hours)
Address (Number, Street, City, State, and ZIP Code) 220 W. 86th St. Bloomington, MN 55420	Telephone Number For Information (952) 884-3144
	Date Prepared 3-30-07
	Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
None				

Section III - Physical/Chemical Characteristics

Boiling Point	NA	Specific Gravity (H ₂ O=1)	NA
Vapor Pressure (mm Hg.)	NIA	Melting Point	120 F
Vapor Density (AIR=1)	NIA	Evaporation Rate (Butyl Acetate = 1)	NA
Solubility In Water COMPLETE			
Appearance and Odor LIGHT ORANGE SOLID			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) NONE	Flammable Limits	LEL NA	UEL NA
Extinguishing Media Water, CO ₂ ,			
Special Fire Fighting Procedures None.			
Unusual Fire and Explosion Hazards NONE			

HMIS		NFPA			
0 HEALTH	HEALTH HAZARD	FIRE HAZARD Flash Points		SPECIFIC HAZARD	REACTIVITY
0 FLAMMABILITY	4 Deadly	4 Below 73° F (Boiling pt. below 100° F)		Oxidizer OX	4 May detonate
0 REACTIVITY	3 Extreme danger	3 Below 73° F (Boiling pt. at/above 100° F)		Acid ACID	3 Shock and heat may detonate
A PERSONAL PROTECTION	2 Hazardous	and/or at/above 73° F - not exceeding 100° F		Alkali ALK	2 Violent chemical change
	1 Slightly hazardous	2 Above 100° F, Not Exceeding 200° F		Corrosive COR	1 Unstable if heated
	0 Normal material	1 Above 200° F		Use NO WATER	0 Stable
		X 0 Will not burn		Radioactive	

(CONTINUED) - Solid Green #14 All-Purpose

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	
Incompatibility (Materials to Avoid) None			
Hazardous Decomposition or Byproducts None			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

Section VI - Health Hazard Data

Routes(s) of Entry:	Inhalation? NO	Skin? YES	Ingestion? NO
Health Hazards (Acute and Chronic) <u>ACUTE</u> - Irritation to eyes & skin, distree to digestive tract if ingested. <u>Chronic</u> - NIA			
Carcinogenicity:	NTP? NIA	IARC Monographs? NIA	OSHA Regulated? NIA
Signs and Symptoms of Exposure <u>EXTERNAL</u> - redness, irritation of skin or eyes. <u>INTERNAL</u> - has a bitter taste, burning sensation in mouth and throat.			
Medical Conditions Generally Aggravated by Exposure Open sores or wounds.			
Emergency and First Aid Procedures <u>EXTERNAL</u> - thoroughly wash with water for 15 minutes. Get medical attention if eye irritation persists. <u>INTERNAL</u> - drink a large volume of milk or water. Get immediate medical attention.			

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled Absorb spilled material with an absorbent material such as clay, sawdust, or sand. Sweep up as much of this as possible and place in a sealed, labeled container, or in a proper landfill. Thoroughly rinse the affected area with water.	
Waste Disposal Method Spilled material should be collected as above for disposal in a landfill according to federal, state and local regulations. Any rinsing of the affected area should also be in accordance with federal, state and local regulations.	
Precautions to Be Taking in Handling and Storing Keep tightly closed while not in use.	
Other Precautions Keep out of the reach of children.	

Section VIII - Control Measures

Respiratory Protection (Specify Type) None.		
Ventilation	Local Exhaust NA	Special NIA
	Mechanical (General) NIA	Other NIA
Protective Gloves Rubber or vinyl recommended.	Eye Protection Safety glasses, goggles recommended.	
Other Protective Clothing or Equipment Rubber boots and apron optional.		
Work/Hygienic Practices Always wash hands after handling all chemical products.		