



SDS

SAFETY DATA SHEET

Date prepared: October 24, 2019

Revision: 1
Supersedes: 12/19/13

1. Product and Company Identification

Company
VALUE PRODUCTS, INC.
2128 Industrial Drive
Stockton, CA 95206

24 Hour Emergency Response Information
CHEMTREC: (800) 424-9300

PRODUCT NAME: BLITS #10 RED
CHEMICAL NAME: SOLVENT SURFACTANT BLEND
MANUFACTURED FOR: BIRITE FOODSERVICE DISTRIBUTORS BRISBANE, CA

PRODUCT CODE: 960316

2. Hazards Identification

Emergency overview: Warning. Causes severe irritation to eyes and skin. Harmful if Swallowed.

GHS Pictograms:



PRECAUTIONARY STATEMENTS: Wear rubber gloves and safety glasses when handling this product.

Wash hands thoroughly after handling.

SIGNS AND SYMPTOMS OF EXPOSURE (SKIN, EYE CONTACT; INHALATION; INGESTION)

EYE CONTACT : Causes irritation, redness, tearing.

INHALATION : Excessive inhalation of vapor can cause headache and nausea.

INGESTION : Can cause nausea, vomiting and gastrointestinal upset.

SKIN CONTACT : Irritation to sensitive skin upon prolonged contact.

3. Composition/ Information on Ingredients

Substances listed in this section are those identified as being present at a concentration of 1% or greater, or 0.1% if the substance is on the list of potential carcinogens cited in OSHA Hazard Communication Standard.

MATERIAL	CAS#	% BY WEIGHT
MONOETHANOLAMINE	0141-43-5	< 5%
ETHYLENE GLYCOL MONO-BUTYL ETHER	0111-76-2	<15 %

4. First Aid Measures

EYES: Immediately flush eyes with a directed stream of water for at least 15 minutes. Hold eyelids apart to ensure complete irrigation of all eye and lid tissues. Washing eyes within several seconds is essential to achieve maximum effectiveness. Get medical attention immediately.

INGESTION: If swallowed, DO NOT induce vomiting. If victim is fully conscious, give large quantities of water to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately.

SKIN CONTACT: Immediately flush skin with plenty of clean running water, while removing contaminated clothing and shoes. If skin burn or irritation occurs, get medical attention.

INHALATION: Remove to fresh air. If breathing is difficult, oxygen should be administered by qualified personnel.

5. Fire Fighting Measures

FIRE FIGHTING METHOD: Move container from fire area if it can be done without risk. Cool containers with water. Avoid contact with skin and wear NIOSH approved breathing apparatus.

EXTINGUISHING MEDIA: Use extinguishing agents appropriate for surrounding fire.

UNUSUAL FIRE OR EXPLOSIVE HAZARD: None Known.

6. Accidental Release Measures

PERSONAL PRECAUTIONS: Isolate area. Keep unnecessary personnel away.

ENVIRONMENTAL PRECAUTIONS: Keep out of sewers, storm drains, and waterways.

CLEAN-UP PROCEDURES: Contain spill with inert material such as sawdust, then transfer to sealable containers for disposal. Flush contaminated areas with water.

RECOMMENDED WASTE DISPOSAL METHOD: Dispose of in accordance with all applicable federal, state and local regulations.

7. Handling and Storage

HYGIENIC PRACTICES IN HANDLING AND STORING: Wash hands thoroughly after handling.

PRECAUTION TO BE TAKEN IN HANDLING AND STORING: Store in cool, dry, ventilated areas.

DISPOSAL OF EMPTY CONTAINER: Empty containers should be triple rinsed with water and disposed of pursuant to Local, State and Federal requirements.

8. Exposure Controls / Personal Protection

RESPIRATORY PROTECTION: If ventilation is not sufficient to effectively prevent buildup of vapors, appropriate NIOSH respiratory protection must be provided.

EYE PROTECTION: Chemical safety goggles and face shield to protect against skin contact when appropriate.

PROTECTIVE CLOTHING: Rubber gloves, rubber boots and full length clothing.

VENTILATION: Provide local exhaust ventilation.

OTHER PROTECTIVE MEASURES: Eyewash fountain and safety shower are recommended.

9. Physical and Chemical Properties

BOILING POINT: >200°F

FREEZING/MELTING POINT: Unknown

VAPOR PRESSURE: (AIR=1): >1

EVAPORATION RATE (WATER =1): >1

PH CONCENTRATE: 10.5 +/- 0.2

SPECIFIC GRAVITY: 1.025 +/-0.2

DESCRIPTION: Clear blue solution, solvent odor.

VOLATILE: 74 %

FLASH POINT: Non-combustible *METHOD USED:* Koehler CC

VAPOR DENSITY: Unknown

SOLUBILITY IN WATER: Complete

VISCOSITY: 25 cps @ 68°F

10. Stability and Reactivity

STABILITY: Stable

INCOMPATIBILITY (MATERIALS TO AVOID): Avoid mixing of this material with strong acids or oxidizers. Also avoid metals such as aluminum, tin, galvanized, zinc, brass, and bronze.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: Excessive heat and contamination.

HAZARDOUS DECOMPOSITION: None known.

11. Toxicological Information

ROUTES OF ENTRY: Absorbed through skin. Inhalation. Ingestion.

CARCINOGEN: There is no evidence this product poses a carcinogenic risk under normal conditions of handling or use.

ACUTE EYE IRRITATION: Unknown

ACUTE SKIN IRRITATION: Unknown

ACUTE DERMAL TOXICITY: Unknown

ACUTE RESPIRATORY IRRITATION: Unknown

ACUTE INHALATION TOXICITY: Unknown

ACUTE ORAL TOXICITY: Unknown

CHRONIC TOXICITY: Unknown

12. Ecological Information

ECO-TOXICOLOGICAL INFORMATION: Unknown

CHEMICAL FATE INFORMATION: Unknown

13. Disposal Considerations

Waste disposal substance:

Do not discharge product into sewer system, storm drains or waterways. Dispose of in accordance with all applicable Federal, State and Local regulations.

Container disposal:

Empty containers should be triple rinsed with water and disposed of pursuant to Local, State, and Federal requirements.

14. Transport Information

Not considered hazardous by US DOT

15. Regulatory Information

Federal Regulations: None Known

State Regulations: California Proposition 65- This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

California State Right to Know (SB258): Water CAS# 7732-18-5 Solvent, 2-Butoxy ethanol CAS# 111-76-2 Solvent, Monoethanolamine CAS# 141-43-5 Builder, Benzenesulfonic acid, dimethyl-,sodium salt (1:1) CAS# 1300-72-7 Wetting Agent, Tetra potassium pyrophosphate CAS# 7320-34-5 Water Conditioning, Tetrasodium ethylenediamine tetraacetate CAS# 64-02-8 Chelating Agent, Xanthene Dye CAS# 81-88-9 Dye

16. Other Information

THE INFORMATION CONTAINED HEREIN, TO THE BEST OF OUR KNOWLEDGE AND BELIEF, IS ACCURATE. HOWEVER, SINCE THE CONDITIONS OF HANDLING AND USE ARE BEYOND OUR CONTROL, WE MAKE NO GUARANTEE OF RESULTS, AND ASSUME NO LIABILITY FOR DAMAGES INCURRED BY USE OF THIS MATERIAL. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.