



SDS

SAFETY DATA SHEET

Date prepared: October 24, 2019

Revision: 1
Supersedes: 12/20/13

1. Product and Company Identification

Company
VALUE PRODUCTS, INC.
2128 Industrial Drive
Stockton, CA 95206

24 Hour Emergency Response Information
CHEMTREC: (800) 424-9300

PRODUCT NAME: SUPER CITRUS POWER
CHEMICAL NAME: D-LIMONENE BLEND
MANUFACTURED FOR: BIRITE FOODSERVICE DISTRIBUTORS BRISBANE, CA

PRODUCT CODE: 960321

2. Hazards Identification

Emergency overview: Warning. Causes irritation to skin and eyes. Harmful if swallowed.

GHS Pictograms:

PRECAUTIONARY STATEMENTS: Wear rubber gloves and safety glasses when handling this product.
Wash hands thoroughly after handling.

SIGNS AND SYMPTOMS OF EXPOSURE (SKIN, EYE CONTACT; INHALATION; INGESTION)

EYE CONTACT : Causes irritation, redness, tearing.

INHALATION : Excessive inhalation of vapor can cause headache and nausea.

INGESTION : Can cause nausea, vomiting and gastrointestinal upset.

SKIN CONTACT : Irritation to sensitive skin upon prolonged contact.

3. Composition/ Information on Ingredients

| MATERIAL (BASED ON 100% FORMULA LEVEL) | CAS# | % BY WEIGHT |
|---|------------|-------------|
| DODECYLBENZENE SULFONIC ACID | 27176-87-0 | < 6 |
| D-LIMONENE | 5989-27-5 | < 6 |

4. First Aid Measures

EYES: Immediately flush eyes with a direct stream of water for at least 15 minutes. Hold eyelids apart to ensure complete irrigation of all eye and lid tissues. Get medical attention.

INGESTION: If swallowed, DO NOT induce vomiting. If victim is fully conscious, give large quantities of water to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately.

SKIN CONTACT: Immediately flush skin with plenty of clean running water. Get medical attention if irritation persists.

INHALATION: Remove to fresh air. If breathing is difficult, oxygen should be administered by qualified personnel.

5. Fire Fighting Measures

FIRE FIGHTING METHOD: DO NOT direct a solid stream of water or foam into hot burning pools of liquid, since this may cause frothing and increase fire intensity.

EXTINGUISHING MEDIA: Water spray, foam, carbon dioxide.

UNUSUAL FIRE OR EXPLOSIVE HAZARD: None known.

6. Accidental Release Measures

PERSONAL PRECAUTIONS: Isolate area. Keep unnecessary personnel away.

ENVIRONMENTAL PRECAUTIONS: Keep out of sewers, storm drains, and waterways.

CLEAN-UP PROCEDURES: Only trained and properly protected personnel should be involved in spill clean-up operations. Wear alkaline-resistant suit and complete protective equipment; rubber gloves, rubber boots, and chemical goggles. Use a non-combustible material like vermiculite, sand, or earth to soak up the product and place material in sealable waste containers for disposal.

RECOMMENDED WASTE DISPOSAL METHOD: The materials resulted from the clean-up operation may be hazardous, therefore, are subjected to specific regulations. Dispose of in accordance with all applicable Federal, State and Local regulations. Ensure that all applicable agencies receive proper notification of spill and disposal methods.

7. Handling and Storage

HYGIENIC PRACTICES IN HANDLING AND STORING: Wash thoroughly after handling. Avoid body contact.

PRECAUTION TO BE TAKEN IN HANDLING AND STORING: Store in original container at cool, dry, well ventilated areas. Avoid any contamination to food lines. Away from strong bases.

DISPOSAL OF EMPTY CONTAINER: Empty containers should be triple rinsed with water and disposed of pursuant to Local, State, and Federal requirements.

8. Exposure Controls / Personal Protection

RESPIRATORY PROTECTION : Not normally required. NIOSH approved dust mask or respirator if airborne exposure is excessive.

EYE PROTECTION : Safety Goggles.

PROTECTIVE CLOTHING : Rubber gloves, boots and full length clothing.

VENTILATION : Local exhaust

OTHER PROTECTIVE MEASURES: Eyewash fountain and safety shower should be nearby and ready for use..

9. Physical and Chemical Properties

BOILING POINT: >200 °F

FREEZING/MELTING POINT: Unknown

VAPOR PRESSURE: (AIR=1): >1

EVAPORATION RATE (WATER =1): >1

PH CONCENTRATE: 10.5 +/- 0.50

SPECIFIC GRAVITY: 1.030 +/-0.2

VISCOSITY: 25 cps @ 68°F

FLASH POINT: Non-combustible *METHOD USED:* Koehler CC

VAPOR DENSITY: Unknown

SOLUBILITY IN WATER: Complete

DESCRIPTION: Clear yellow solution, lemon scent.

10. Stability and Reactivity

STABILITY: Stable

INCOMPATIBILITY (MATERIALS TO AVOID): None known

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: None currently known.

HAZARDOUS DECOMPOSITION: None known.

11. Toxicological Information

ROUTES OF ENTRY: Absorbed through skin. Inhalation. Ingestion.

CARCINOGEN: There is no evidence this product poses a carcinogenic risk under normal conditions of handling or use.

ACUTE EYE IRRITATION: Unknown

ACUTE SKIN IRRITATION: Unknown

ACUTE DERMAL TOXICITY: Unknown

ACUTE RESPIRATORY IRRITATION: Unknown

ACUTE INHALATION TOXICITY: Unknown

ACUTE ORAL TOXICITY: Unknown

CHRONIC TOXICITY: Unknown

12. Ecological Information

ECO-TOXICOLOGICAL INFORMATION: Unknown

CHEMICAL FATE INFORMATION: Unknown

13. Disposal Considerations

Recommended Waste disposal method:

Dispose of in accordance with all applicable Federal, State and Local regulations.

Container disposal:

Empty containers should be triple rinsed with water and disposed of pursuant to Local, State, and Federal requirements.

14. Transport Information

Not considered hazardous by US DOT

15. Regulatory Information

Federal Regulations: None Known

State Regulations: **California Proposition 65** – This product does not contain any chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

California State Right to Know (SB258): Water CAS# 7732-18-5 Solvent, Benzenesulfonic acid, dimethyl-,sodium salt (1:1) CAS# 1300-72-7, Hydrotrope Benzene sulfonic acid, C10-16-alkyl derivs. CAS# 68584-22-5 Wetting Agent, Ethoxylated/Propoxylated copolymer CAS# N/A Wetting Agent, D-Limonene CAS# 5989-27-5 Solvent, Isopropylamine Linear Alkylbenzene Sulfonate CAS# 68584-24-7 Wetting Agent, Tetrasodium ethylenediamine tetraacetate CAS# 64-02-8 Chelating Agent, Potassium hydroxide CAS# 1310-58-3 Builder, Nonylphenol Polyethylene Glycol Ether CAS# 127087-87-0 Wetting Agent, Polyethylene Glycol CAS# 25322-68-3 Wetting Agent, Polyoxyethylene Dinonylphenol CAS# 9014-93-1 Wetting Agent, Fragrance CAS# 25265-71-8, 8008-57-9, 78-70-6 Fragrance

16. Other Information

THE INFORMATION CONTAINED HEREIN, TO THE BEST OF OUR KNOWLEDGE AND BELIEF, IS ACCURATE. HOWEVER, SINCE THE CONDITIONS OF HANDLING AND USE ARE BEYOND OUR CONTROL, WE MAKE NO GUARANTEE OF RESULTS, AND ASSUME NO LIABILITY FOR DAMAGES INCURRED BY USE OF THIS MATERIAL. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.