



# SDS

## SAFETY DATA SHEET

Date prepared: October 24, 2019

Revision: 1  
Supersedes: 03/04/19

### 1. Product and Company Identification

Company  
VALUE PRODUCTS, INC.  
2128 Industrial Drive  
Stockton, CA 95206

24 Hour Emergency Response Information  
CHEMTREC: (800) 424-9300

*PRODUCT NAME:* GLASS BRITE #1

*PRODUCT CODE:* 963326

*CHEMICAL NAME:* WATER - SOLVENT - SURFACTANT BLEND

*MANUFACTURED FOR:* BIRITE FOODSERVICE DISTRIBUTORS BRISBANE, CA

### 2. Hazards Identification

*Emergency overview:* DANGER, Flammable liquid and vapor. Causes irritation to skin and eyes. Harmful if swallowed.

**GHS Pictograms:**



**PRECAUTIONARY STATEMENTS:** Avoid inhalation of vapour or mist. Keep away from sources of ignition. No smoking. Take measures to prevent the build up of electrostatic charge. Keep container tightly closed in a dry and well ventilated place. Wash hands thoroughly after handling.

***SIGNS AND SYMPTOMS OF EXPOSURE (SKIN, EYE CONTACT; INHALATION; INGESTION)***

*EYE CONTACT* : Irritating to eyes, causes redness and tearing.

*INHALATION* : Vapor may cause drowsiness and dizziness.

*INGESTION* : Can cause nausea, vomiting and gastrointestinal upset.

*SKIN CONTACT* : Repeated exposure may cause skin dryness or cracking.

### 3. Composition/ Information on Ingredients

MATERIAL (BASED ON 100% FORMULA LEVEL)	CAS#	% BY WEIGHT
ETHYL ALCOHOL	64-17-5	< 10 %
AMMONIA	7664-41-7	< 2 %
TETRASODIUM ETHYLENE-DIAMINE TETRAACETATE SOLUTION	64-02-8	< 3 %

#### 4. First Aid Measures

**EYES:** Immediately flush eyes with a direct stream of water for at least 15 minutes. Hold eyelids apart to ensure complete irrigation of all eye and lid tissues. Get medical attention.

**INGESTION:** If swallowed, DO NOT induce vomiting. If victim is fully conscious, give large quantities of water to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**SKIN CONTACT:** Immediately flush skin with plenty of clean running water. Get medical attention if irritation persists.

**INHALATION:** Remove to fresh air. If breathing is difficult, oxygen should be administered by qualified personnel.

#### 5. Fire Fighting Measures

**FIRE FIGHTING METHOD:** DO NOT direct a solid stream of water or foam into hot burning pools of liquid, since this may cause frothing and increase fire intensity.

**EXTINGUISHING MEDIA:** Alcohol-resistant foam, water spray or fog. Dry chemical powder, carbon dioxide may be used for small fires only.

**UNUSUAL FIRE OR EXPLOSIVE HAZARD:** None known.

#### 6. Accidental Release Measures

**PERSONAL PRECAUTIONS:** Isolate area. Keep unnecessary personnel away.

**ENVIRONMENTAL PRECAUTIONS:** Keep out of sewers, storm drains, and waterways.

**CLEAN-UP PROCEDURES:** Ventilate area or leak or spill. Remove all sources of ignition. Contain spill with inert material such as vermiculite, dry sand, earth, then transfer to sealable containers for disposal. Flush contaminated areas with water.

**RECOMMENDED WASTE DISPOSAL METHOD:** Dispose of in accordance with all applicable federal, state and local regulations.

#### 7. Handling and Storage

**HYGIENIC PRACTICES IN HANDLING AND STORING:** Wash thoroughly after handling. Avoid body contact.

**PRECAUTION TO BE TAKEN IN HANDLING AND STORING:** Store in original container at cool, dry, well ventilated areas. Avoid any contamination to food lines. Away from strong bases.

**DISPOSAL OF EMPTY CONTAINER:** Empty containers should be triple rinsed with water and disposed of pursuant to Local, State, and Federal requirements.

#### 8. Exposure Controls / Personal Protection

**RESPIRATORY PROTECTION :** NIOSH approved dust mask or respirator if airborne/ mists exposure is excessive.

**EYE PROTECTION :** Safety Goggles.

**PROTECTIVE CLOTHING :** Rubber gloves, boots and full length clothing.

**VENTILATION :** Local exhaust

#### 9. Physical and Chemical Properties

**BOILING POINT:** Unknown

**FREEZING/MELTING POINT:** Unknown

**VAPOR PRESSURE: (AIR=1):** >1

**EVAPORATION RATE (WATER =1):** >1

**PH CONCENTRATE:** 11.7 +/- 0.5

**SPECIFIC GRAVITY:** .988 +/-0.2

**SOLUBILITY IN WATER:** Complete

**FLASH POINT:** 120° F **METHOD USED:** Koehler CC

**VAPOR DENSITY:** Unknown

**VISCOSITY:** Water thin

**DESCRIPTION:** Dark blue solution. Slight ammonia odor

---

## 10. Stability and Reactivity

*STABILITY:* Stable

*INCOMPATIBILITY (MATERIALS TO AVOID):* None known

*HAZARDOUS POLYMERIZATION:* Will not occur

*CONDITIONS TO AVOID:* None currently known.

*HAZARDOUS DECOMPOSITION:* None known.

---

## 11. Toxicological Information

*Routes of entry:* Absorbed through skin. Inhalation. Ingestion.

*Carcinogen:* There is no evidence this product poses a carcinogenic risk under normal conditions of handling or use.

*Acute eye Irritation:* Unknown

*Acute Skin Irritation:* Unknown

*Acute Dermal Toxicity:* Unknown

*Acute Respiratory Irritation:* Unknown

*Acute Inhalation Toxicity:* Unknown

*Acute Oral Toxicity:* Unknown

*Chronic Toxicity:* Unknown

---

## 12. Ecological Information

*Eco-toxicological Information:* Unknown

*Chemical Fate Information:* Unknown

---

## 13. Disposal Considerations

**Recommended Waste disposal method:**

Dispose of in accordance with all applicable Federal, State and Local regulations.

**Container disposal:**

Empty containers should be tripled rinsed with water and disposed of pursuant to Local, State, and Federal requirements.

---

## 14. Transport Information

*ID NUMBER:* UN 1170

*PROPER SHIPPING NAME:* Ethyl Alcohol Solution

*HAZARD CLASS:* 3

*PACKING GROUP:* III

*SPECIAL PROVISIONS FOR TRANSPORT:* Not available.

---

## 15. Regulatory Information

**Federal Regulations:** None Known

**State Regulations:** **California Proposition 65** – WARNING. This product contains (Ethyl Alcohol) a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. For more information visit <https://www.p65warnings.ca.gov/>.

**California State Right to Know (SB258):** Water CAS# 7732-18-5 Solvent, Ethanol CAS# 64-17-5 Solvent, Sodium lauryl sulfate CAS# 68585-47-7 Wetting Agent, 2-Butoxy ethanol CAS# 111-76-2 Solvent, Tetrasodium ethylenediamine tetraacetate CAS# 64-02-8 Chelating Agent, Ammonium hydroxide CAS# 1336-21-6 Solvent, Anthraquinone Dye CAS# 6424-85-1, 4403-90-1 Dye

---

**16. Other Information**

*THE INFORMATION CONTAINED HEREIN, TO THE BEST OF OUR KNOWLEDGE AND BELIEF, IS ACCURATE. HOWEVER, SINCE THE CONDITIONS OF HANDLING AND USE ARE BEYOND OUR CONTROL, WE MAKE NO GUARANTEE OF RESULTS, AND ASSUME NO LIABILITY FOR DAMAGES INCURRED BY USE OF THIS MATERIAL. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.*