

St. Paul, MN 55102 1 Ecolab Place

12/4/2023

Dear Customer,

which you recently ordered. Our safety documents are updated as often as new data is Enclosed are new and revised Safety Data Sheets (SDS) for the product(s) listed below available. Please replace the old versions with the most recent SDSs enclosed. If you distribute the product(s) listed below, you may be required to provide a copy of the SDS to that location.

SAFETY REMINDER

Use product ONLY for recommended use.

BKISBANE CA 94005-1203

MD DISTRIBUTOR INST BIKILE LOOD 2AC DIZL

IS3 8 HIFF DB

0204310468

- NEVER transfer product to unlabeled containers.
- NEVER take product home workplace use only.

If you are not directly responsible for the use of the SDS or the information they contain, we ask that you forward them to the appropriate person(s) in your organization.

Representative or send an email to NACustomerMaintenance@ecolab.com to enroll. If you prefer to receive SDS by email, please discuss with your local Sales Please provide the following information:

- First and Last Name
- Ecolab Account Number (10-digit number on the left-hand side of this page)
 - Email Address to which SDS should be sent

Note: Modifications or deletions to current SDS email recipients can also be sent to the above Ecolab email address.

Electronic versions of product SDSs are also available at www.ecolab.com/SDS.

Products

INST HAND SNITZER NX 6X750

6100722



SAFETY DATA SHEET

INSTANT HAND SANITIZER GEL

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

INSTANT HAND SANITIZER GEL

Other means of identification

Not applicable

Recommended use

Skin-care

Restrictions on use

Reserved for industrial and professional use.

Product dilution information

Product is sold ready to use.

Company

Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date

05/29/2020

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids Eye irritation : Category 3 : Category 2B

GHS label elements

Hazard pictograms

Signal Word

: Warning

Hazard Statements

: Flammable liquid and vapor.

Causes eye irritation.

Precautionary Statements

Prevention:

Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

Keep container tightly closed.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture

Mixture



Chemical name CAS-No. Concentration (%)

 ethanol
 64-17-5
 30 - 60

 Isopropanol
 67-63-0
 5 - 10

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse with water.

In case of skin contact : Rinse with water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

: Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Beware of vapors accumulating to form explosive concentrations.

Vapors can accumulate in low areas.

Hazardous combustion

products

Decomposition products may include the following materials:

Carbon oxides

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

Use water spray to cool unopened containers. Fire residues and

contaminated fire extinguishing water must be disposed of in

accordance with local regulations. In the event of fire and/or explosion

do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent

924681-25 2 / 9

material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Keep away from fire, sparks and heated surfaces. Take necessary

action to avoid static electricity discharge (which might cause ignition of organic vapors). Open drum carefully as content may be under

pressure.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-

ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled

containers.

Storage temperature : 0 °C to 25 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z1
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		STEL	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z1

Engineering measures

Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection No special protective equipment required.

Hand protection No special protective equipment required.

Skin protection No special protective equipment required.

Respiratory protection No personal respiratory protective equipment normally required.

Hygiene measures No specific measures identified.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance gel

Color : clear, colorless
Odor : alcohol-like
pH : 7.0, (100 %)

Flash point 27 °C closed cup, Sustains combustion

Odor Threshold

Melting point/freezing point

No data available

No data available

No data available

No data available

boiling range

Evaporation rate

Flammability (solid, gas)

Upper explosion limit

Lower explosion limit

Vapor pressure

Relative vapor density

No data available

No data available

No data available

Relative density 0.84 - 0.94

Water solubility

Solubility in other solvents

No data available

Partition coefficient: n
No data available

octanol/water

Autoignition temperature : No data available
Thermal decomposition : No data available

Viscosity, kinematic 3658.259 mm2/s (40 °C)

Explosive properties No data available

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

VOC No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity No dangerous reaction known under conditions of normal use.

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks.

Incompatible materials : None known.

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

924681-25 4 / 9

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

: Causes eye irritation. Eyes

: Health injuries are not known or expected under normal use. Skin

: Health injuries are not known or expected under normal use. Ingestion

Health injuries are not known or expected under normal use. Inhalation

: Health injuries are not known or expected under normal use. Chronic Exposure

Experience with human exposure

: Redness, Irritation Eye contact

: No symptoms known or expected. Skin contact

: No symptoms known or expected. Ingestion

Inhalation : No symptoms known or expected.

Toxicity

Product

Acute oral toxicity : No data available : No data available Acute inhalation toxicity : No data available Acute dermal toxicity : No data available Skin corrosion/irritation : No data available Serious eye damage/eye

irritation

Respiratory or skin

sensitization

No data available

No data available Carcinogenicity No data available Reproductive effects No data available Germ cell mutagenicity No data available Teratogenicity No data available STOT-single exposure STOT-repeated exposure No data available No data available Aspiration toxicity

Components

ethanol Acute oral toxicity

LD50 Rat: 10,470 mg/kg

Isopropanol

LD50 Rat: 5,840 mg/kg

Components



924681-25 5/9

SAFETY DATA SHEET

INSTANT HAND SANITIZER GEL

Acute inhalation toxicity : ethanol

4 h LC50 Rat: 117 mg/l Test atmosphere: vapor

Isopropanol

4 h LC50 Rat: > 30 mg/l Test atmosphere: vapor

Components

Acute dermal toxicity athanol

LD50 Rabbit: > 15,800 mg/kg

Isopropanol

LD50 Rabbit: 12,870 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product

aquatic invertebrates

Toxicity to algae No data available

Components

Toxicity to fish ethanol

96 h LC50 Pimephales promelas: > 100 mg/l

Isopropanol

96 h LC50 Pimephales promelas: 9,640 mg/l

Components

Toxicity to daphnia and other

aquatic invertebrates

: Isopropanol

LC50 Daphnia magna (Water flea): > 10,000 mg/l

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

924681-25 6 / 9

Disposal considerations

: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

: D001 (Ignitable)

Conservation and Recovery Authorization Act Hazardous

waste

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number

: 1170

Description of the goods

: Ethanol solutions

Class

: 3

Packing group

: III

Environmentally hazardous

: no

Sea transport (IMDG/IMO)

UN number

: 1170

Description of the goods

: ETHANOL SOLUTION

Class

: 3

Packing group

: 111

Marine pollutant

: no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Flammable (gases, aerosols, liquids, or solids)

Serious eye damage or eye irritation

SARA 302

This material does not contain any components with a section 302

EHS TPQ.

SARA 313

This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.



California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation does not apply to this product.

The ingredients of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations : not determined

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS)

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances: On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory:

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI)

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory


China. Inventory of Existing Chemical Substances in China (IECSC)

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) not determined

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Version 1.1

Prepared by Regulatory Affairs

924681-25 8 / 9

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

